



**University of
Zurich**^{UZH}

**Zurich Open Repository and
Archive**

University of Zurich
University Library
Strickhofstrasse 39
CH-8057 Zurich
www.zora.uzh.ch

Year: 2013

A participatory method for agrobiodiversity conservation

Rohrbach, Beni ; Laube, Patrick

Abstract: Which sites would be best to revive cultivating crops and vegetables? In Swiss mountains, the area used for arable farming decreased by over 50% from 1990 to 2010. We are interested in methods able to integrate different knowledge forms and viewpoints with spatial reference. Arable farming contributes to culture, local knowledge, and landscape aesthetics. At the same time it is dependent on those elements. Therefore, biosphere reserves are candidates for reviving arable farming. Here, an approach called participatory mapping is used to find the suitable sites. Airborne photos serve as a basis with a direct reference to the physical world. Various stakeholders then create a thematic map by drawing suitable areas on top of the photos. While participatory mapping was applied on a broad range of topics, this method lacks scientifically sound guidelines for best application. Hence, we research required sample size and the influence of mapping scales and technologies. In addition, we examine precision, accuracy, and validity of the data gathered through participatory mapping. We further look into additional effects such as social learning or emerging conflicts as a consequence of the mapping process. In this project, arable farming in the protected areas serves as a case study. However, the method has much broader application possibilities.

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-87216>

Conference or Workshop Item

Accepted Version

Originally published at:

Rohrbach, Beni; Laube, Patrick (2013). A participatory method for agrobiodiversity conservation. In: 5th Symposium for Research in Protected Areas, Mittersill (A), 10 June 2013 - 12 June 2013. Hohe Tauern National Park, 669-670.

A participatory method for agrobiodiversity conservation

Beni Rohrbach, Patrick Laube

Institute of Geography, University of Zurich, Switzerland

1 Abstract

Which sites would be best to revive cultivating crops and vegetables? In Swiss mountains, the area used for arable farming decreased by over 50% from 1990 to 2010. We are interested in methods able to integrate different knowledge forms and viewpoints with spatial reference. Arable farming contributes to culture, local knowledge, and landscape aesthetics. At the same time it is dependent on those elements. Therefore, biosphere reserves are candidates for reviving arable farming. Here, an approach called participatory mapping is used to find the suitable sites. Airborne photos serve as a basis with a direct reference to the physical world. Various stakeholders then create a thematic map by drawing suitable areas on top of the photos. While participatory mapping was applied on a broad range of topics, this method lacks scientifically sound guidelines for best application. Hence, we research required sample size and the influence of mapping scales and technologies. In addition, we examine precision, accuracy, and validity of the data gathered through participatory mapping. We further look into additional effects such as social learning or emerging conflicts as a consequence of the mapping process. In this project, arable farming in the protected areas serves as a case study. However, the method has much broader application possibilities.

Keywords: Participatory Mapping, PPGIS, Agrobiodiversity, Transdisciplinarity, Ecosystem Services

2 Project description

2.1 Introduction

In Swiss mountains, the area used for cultivating crops and vegetables decreased by over 50% from 1990 to 2010 (*Swiss Federal Statistical Office 2012*). Biosphere reserves are especially suitable for conserving agricultural practices in marginal areas. A big portion of the worlds protected areas are in mountains (Rodríguez-Rodríguez & Bomhard 2011), which are a refugium for crop diversity (Bardsley & Thomas

2004). Arable farming contributes to cultural and biological diversity. Conserving crop diversity, a natural resource, through use, fits perfectly to the aims of UNESCO biosphere reserves (Lange 2011). Recently, the new agrarian policy of Switzerland aims at securing and enhancing landscape qualities. Farmers can list arable farming as a landscape quality and thus apply for government subsidies. However, it is complicated to locate where policy measures would most likely take effect. We research methods to find the most promising areas for reviving arable farming in the mountains.

Bringing back arable farming depends on several factors and stakeholders. For example appropriate machines, suitable soils, and a good climate are required. At the same time, the individual motivation, experiences, and knowledge plays an important role (*Bardsley & Thomas 2004; FAO 2010*). Thus, there is a need for methods able to integrate different knowledge sources and types of knowledge.

2.2 Method

Participatory Mapping (PM) is a promising approach for integrating different knowledge. In PM, participants are asked to draw a map on an airborne image. The maps then are merged, resulting in an aggregated map. Thus the setup and the result have a clear spatial reference. PM was already applied on similar issues. For example PM was applied on conservation management (*Brown & Weber 2012*), landscape values (*Sherrouse et al. 2011*) and ecosystem service assessment (*Brown et al. 2012*). Research has shown various influences on the results, such as the familiarity of the participants with the area (*Brown 2012; Brown et al. 2012*), the use of points or polygons as input geometry (*Brown & Pullar 2012*), and effects of paper- and web-based solutions (*Brown et al. 2012; Pocewicz et al. 2012*). Despite the promising aptness of PM for complex socio-ecological tasks, there is lack of scientific sound guidelines for best practice.

2.3 Conclusion

Using the case of arable farming in the Swiss mountains, we research PM. It might well be, that for some cases, a rule based spatial multi criteria evaluation (*Malczewski 2006*), is the most effective and efficient way to go. However, if the aim is a participatory process PM is a valuable tool for assessing complex socio-ecological phenomena. PM can be carried out without much computer technology, by using paper and pencil. On the other hand, bigger samples can be reached and processed if using web-based tools. For different aims different setups and scales yield best results. In any case, PM is able to show

perceptions of the participants regarding a complex subject in a defined area.

3 References

- Bardsley D., & Thomas I. 2004. In Situ Agrobiodiversity Conservation in the Swiss Inner Alpine Zone. In: *GeoJournal*, vol. 60:2, 99–109.
- Brown G. 2012. An empirical evaluation of the spatial accuracy of public participation GIS (PPGIS) data. In: *Applied Geography*, vol. 34, 289–294.
- Brown G., Montag J. M., & Lyon K. 2012. Public Participation GIS: A Method for Identifying Ecosystem Services. In: *Society & Natural Resources*, vol. 25:7, 633–651.
- Brown G., & Pullar D. 2012. An evaluation of the use of points versus polygons in public participation geographic information systems using quasi-experimental design and Monte Carlo simulation. In: *International Journal of Geographical Information Science*, vol. 26:2, 231–246.
- Brown G., & Weber D. 2012. A place-based approach to conservation management using public participation GIS (PPGIS). In: *Journal of Environmental Planning and Management*, vol. 1:19, 37–41.
- FAO 2010. The Second Report on the State of the World's Plant Genetic Resources for Food and Agriculture. Rome, Italy. Available at: <http://www.fao.org/docrep/013/i1500e/i1500e.pdf> (accessed: 09/17/2012).
- Lange S. 2011. The Development of UNESCO's MAB Programme, with a Special Focus on Mountain Aspects. In: *Biosphere Reserves in the Mountains of the World Excellence in the Clouds?*, Austrian MAB Committee (Ed.). Austrian Sciences Academy Available at: http://www.unesco.org/new/fileadmin/MULTIMEDIA/HQ/SC/pdf/OAW_BR_Mountains_Excellence_in_the_Clouds_2011.pdf (accessed: 10/17/2012).
- Malczewski J. 2006. GIS-based multicriteria decision analysis: a survey of the literature. In: *International Journal of Geographical Information Science*, vol. 20:7, 703–726.
- Pocewicz A., Nielsen-Pincus M., Brown G., & Schnitzer R. 2012. An Evaluation of Internet Versus Paper-based Methods for Public Participation Geographic Information Systems (PPGIS). In: *Transactions in GIS*, vol. 16:1, 39–53.
- Rodríguez-Rodríguez D., & Bomhard B. 2011. Towards Effective Conservation in Mountains: Protected Areas and Biosphere Reserves. In: *Biosphere Reserves in the Mountains of the World Excellence in the Clouds?*, Austrian MAB Committee (Ed.). Austrian Sciences Academy Available at:

http://www.unesco.org/new/fileadmin/MULTIMEDIA/HQ/SC/pdf/OAW_BR_Mountains_Excellence_in_the_Clouds_2011.pdf (accessed: 10/17/2012).

Sherrouse B. C., Clement J. M., & Semmens D. J. 2011. A GIS application for assessing, mapping, and quantifying the social values of ecosystem services. In: *Applied Geography*, vol. 31:2, 748–760.

Swiss Federal Statistical Office 2012. Landwirtschaftliche Betriebsstrukturerhebung. Available at: <http://www.bfs.admin.ch/bfs/portal/de/index/infothek/onlinedb/stattab.html> (accessed: 10/07/2012).

4 Contact

Beni Rohrbach
benjamin.rohrbach@geo.uzh.ch
Department of Geography, GIScience
Winterthurerst. 190
8055 Zürich